



## DBH gene

dopamine beta-hydroxylase

### Normal Function

The *DBH* gene provides instructions for producing the enzyme dopamine beta ( $\beta$ )-hydroxylase. This enzyme converts dopamine to norepinephrine, both of which are chemical messengers (neurotransmitters) that transmit signals between nerve cells. Norepinephrine plays an important role in the autonomic nervous system, which controls involuntary body processes such as the regulation of blood pressure and body temperature.

### Health Conditions Related to Genetic Changes

#### dopamine beta-hydroxylase deficiency

At least six mutations in the *DBH* gene have been found to cause dopamine  $\beta$ -hydroxylase deficiency. The most common mutation (usually written as IVS1+2T>C) interferes with the normal processing of dopamine  $\beta$ -hydroxylase. As a result of this mutation, an abnormally short, nonfunctional version of the enzyme is produced. A lack of functional dopamine  $\beta$ -hydroxylase leads to a shortage of norepinephrine, which causes difficulty with regulating blood pressure and other autonomic nervous system problems seen in dopamine  $\beta$ -hydroxylase deficiency.


#### other disorders

Studies have shown certain variations (polymorphisms) in the *DBH* gene to be associated with increased risk of attention deficit hyperactivity disorder (ADHD). *DBH* gene polymorphisms are also thought to increase the risk of psychotic symptoms in people with schizophrenia or unipolar major depression. Other studies, however, have not supported these findings. Many genetic and environmental factors are believed to contribute to these complex conditions.

## Chromosomal Location

Cytogenetic Location: 9q34.2, which is the long (q) arm of chromosome 9 at position 34.2

Molecular Location: base pairs 133,636,363 to 133,659,344 on chromosome 9 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

## Other Names for This Gene

- DBM
- dopamine beta-hydroxylase (dopamine beta-monooxygenase)
- dopamine beta-monooxygenase
- DOPO\_HUMAN

## Additional Information & Resources

### Educational Resources

- Basic Neurochemistry (sixth edition, 1999): Biosynthesis of Catecholamines  
<https://www.ncbi.nlm.nih.gov/books/NBK27988/>
- Endocrinology (first edition, 2001): Biosynthesis and control of catecholamines secreted by the adrenal medulla  
<https://www.ncbi.nlm.nih.gov/books/NBK26/?rendertype=box&id=A467>
- Endocrinology (first edition, 2001): Catecholamine synthesis and secretion  
<https://www.ncbi.nlm.nih.gov/books/NBK26/#A698>
- Neuroscience (second edition, 2001): The Biogenic Amines  
<https://www.ncbi.nlm.nih.gov/books/NBK11035/>

### GeneReviews

- Dopamine Beta-Hydroxylase Deficiency  
<https://www.ncbi.nlm.nih.gov/books/NBK1474>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28DBH%5BTIAB%5D%29+OR+%28dopamine+beta-hydroxylase%5BTI%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D>

### OMIM

- DOPAMINE BETA-HYDROXYLASE, PLASMA  
<http://omim.org/entry/609312>

### Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology  
[http://atlasgeneticsoncology.org/Genes/GC\\_DBH.html](http://atlasgeneticsoncology.org/Genes/GC_DBH.html)
- ClinVar  
<https://www.ncbi.nlm.nih.gov/clinvar?term=DBH%5Bgene%5D>
- HGNC Gene Symbol Report  
[http://www.genenames.org/cgi-bin/gene\\_symbol\\_report?q=data/hgnc\\_data.php&hgnc\\_id=2689](http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=2689)
- NCBI Gene  
<https://www.ncbi.nlm.nih.gov/gene/1621>
- UniProt  
<http://www.uniprot.org/uniprot/P09172>

### **Sources for This Summary**

- Cubells JF, Zabetian CP. Human genetics of plasma dopamine beta-hydroxylase activity: applications to research in psychiatry and neurology. *Psychopharmacology (Berl)*. 2004 Aug;174(4):463-76. Epub 2004 Apr 16. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/15088079>
- OMIM: DOPAMINE BETA-HYDROXYLASE, PLASMA  
<http://omim.org/entry/609312>
- Kim CH, Zabetian CP, Cubells JF, Cho S, Biaggioni I, Cohen BM, Robertson D, Kim KS. Mutations in the dopamine beta-hydroxylase gene are associated with human norepinephrine deficiency. *Am J Med Genet*. 2002 Mar 1;108(2):140-7.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/11857564>
- Vincent S, Robertson D. The broader view: catecholamine abnormalities. *Clin Auton Res*. 2002 May;12 Suppl 1:144-9.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/12102462>

---

Reprinted from Genetics Home Reference:  
<https://ghr.nlm.nih.gov/gene/DBH>

Reviewed: September 2008  
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services